

# MARITIME™

## Professional Teak Cleaner

### MATERIALS SAFETY DATA SHEET

#### I. Product and Company Information

Product Name: MARITIME Professional Teak Cleaner  
Manufacturer Name: Maritime Wood Products Corp.  
Manufacturer Address: 3361 S.E. Slater Street,  
Stuart, Florida USA 34997  
Manufacturer Telephone: Toll Free (800) 274-8325  
International +1 (772) 287-2919  
DOT Shipping Information: Consumer Commodity, ORM-D  
Effective Date: November 2006  
Product Type: Alkaline Cleaning Compound  
Product Formula: Mixture of Alkalis and Wetting Agents  
Product Note: Product does not contain any chemicals reportable under  
Section 313 of Title III of SARA

#### II. Hazardous Ingredients

<u>CAS Number</u>	<u>TLV (Units)</u>	<u>Ingredient</u>	<u>Hazardous %</u>
15630-84-9	10 mg/m <sup>3</sup>	Sodium Percarbonate	65.0%-75.0%

#### III. Physical & Chemical Properties

Boiling Point (°F): N/A  
Volatility/VOL (%): N/A  
Melting Point (°F): N/A  
Vapor Pressure (mm Hg): N/A  
Vapor Density (Air=1): N/A  
Solubility in Water: Complete  
Appearance: White crystalline powder  
Odor: None  
Specific Gravity (H<sub>2</sub>O=1): >1.20  
Freezing Point: N/A  
Evaporation Rate (BuAc=1): N/A  
pH: 11.0 of a 2.0% solution

#### IV. Fire & Explosion Hazard Data

Flash Point (°F):	Non-flammable
Lower Flame Limit:	N/A
Higher Flame Limit:	N/A
Extinguish Media:	Use water spray, dry chemical, foam, or carbon dioxide.
Fire Fighting Procedures:	Use extinguishing media applicable to primary source of fire.
Unusual Fire Hazard:	None

#### V. Health Hazard Data

Routes of Entry:	Ingestion or inhalation
Health Hazards:	Irritation
NTP:	No
IARC Monographs:	No
OSHA Regulated:	No
Threshold Limit Value:	Not established for this product, see Section II for TLV of hazardous ingredients.

##### Overexposure Effects

Eye Contact:	Burning or irritation of eyes.
Skin Contact:	Dry product can be a skin irritant.
Inhalation:	Exposure to the dust of concentrate or the spray mist of dissolved solution may cause coughing, sneezing or other symptoms of upper respiratory tract irritation.
Ingestion:	Possible irritation to mucous membranes of mouth, throat, esophagus and stomach.

##### Emergency and First Aid Procedures

Eye Contact:	Flush immediately with water for at least 15 minutes and seek medical attention.
Skin Contact:	Wash thoroughly with soap and water. Seek medical attention if irritation persists.
Inhalation:	Remove to fresh air. For breathing difficulty, give oxygen or artificial respiration.
Ingestion:	Get medical attention immediately. Give large quantities of water or milk. Never give anything by mouth to unconscious person. Do not induce vomiting.

## VI. Reactivity Data

Chemical Stability:	Stable
Conditions To Avoid:	Keep from getting damp or wet.
Incompatible Materials:	Avoid contact with acids.
Decomposition Products:	Phosphorous oxides from temperatures above 400°F .
Hazardous Polymerization:	Will not occur.
Polymerization Avoid:	N/A

## VII. Spill or Leak Procedure

For Spill:	In case of spillage, sweep up excess material and dispose of in accordance with applicable regulations.
Waste Disposal Method:	Dispose of in accordance with local, state and federal regulations.

## VIII. Special Protections

Respiratory Protection:	Use a NIOSH/OSHA approved mask for nuisance dust when using or handling the concentrated powder.
Ventilation:	Recommended to keep dust level low.
Protective Gloves:	Rubber gloves
Eye Protection:	Safety glasses
Other Protection:	Rubber or plastic apron

## IX. Handling & Storage

Keep out of reach of children. For industrial use only. Keep in a dry place.

## X. Hazards Identification

Label Summary:	HMIS
Health Hazard:	2
Flammability:	0
Reactivity:	1
Personal Protection:	E